

SDTIC
ELECTE
OCT 3 1995
C D

ARMY RESEARCH LABORATORY



The Effect of Battlefield Combat Identification
System Information on Target Identification
Time and Errors in a Simulated Tank
Engagement Task

Robert Karsh
James D. Walrath
Jennifer C. Swoboda
Krishna Pillalamarri

ARL-TR-854

JULY 1995

Approved for public release; distribution is unlimited.

19951002 036

OrthoraterTM is a trademark of Bausch & Lomb Optical Company.

DeskproTM is a trademark of Compaq Computer Corporation.

MacintoshTM is a trademark of Apple Computer, Incorporated.

Quadra[®] is a registered trademark of Apple Computer, Incorporated.

ScanMakerTM is a trademark of Microtek International, Inc.

The findings in this report are not to be construed as an official Department of the Army position
unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of
the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE July 1995	3. REPORT TYPE AND DATES COVERED Final
4. TITLE AND SUBTITLE The Effect of Battlefield Combat Identification System Information on Target Identification Time and Errors in a Simulated Tank Engagement Task			5. FUNDING NUMBERS PR: 1L1611102B74A PE: 6.11.02
6. AUTHOR(S) Karsh, R.; Walrath, J. D.; Swoboda, J. C.; Pillalamarri, K.			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory Human Research & Engineering Directorate Aberdeen Proving Ground, MD 21005-5425			8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory Human Research & Engineering Directorate Aberdeen Proving Ground, MD 21005-5425			10. SPONSORING/MONITORING AGENCY REPORT NUMBER ARL-TR-854
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) Thirty enlisted men served as subjects in an experiment to determine how availability of target identification information, such as friend or unknown, might affect human performance of a simulated tank engagement task. For half the subjects, target identification information was available if requested, while for the other half, additional information was unavailable. Accuracy and response time measures of the two groups were no different when targets were not interrogated. When target information was available, however, subjects interrogated targets on only one-seventh of the presentations. Receipt of target information led to considerable gain in accuracy and loss in response time. False alarm rate (calling enemies friends) was highly inflated when target identification was unavailable. Implications of the findings are discussed.			
14. SUBJECT TERMS BCIS target identification fratricide			15. NUMBER OF PAGES 30
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT

THE EFFECT OF BATTLEFIELD COMBAT IDENTIFICATION SYSTEM
INFORMATION ON TARGET IDENTIFICATION TIME AND ERRORS IN A
SIMULATED TANK ENGAGEMENT TASK

Robert Karsh
James D. Walrath
Jennifer C. Swoboda
Krishna Pillalamarri

July 1995

APPROVED: *Robin L. Keese*
ROBIN L. KEESEE
Director, Human Research &
Engineering Directorate

Approved for public release; distribution is unlimited.

U.S. ARMY RESEARCH LABORATORY
Aberdeen Proving Ground, Maryland

Accession For	
NTIS	<input checked="checked" type="checkbox"/>
DTIC	<input type="checkbox"/>
Unpublished	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

CONTENTS

METHOD	4
Subjects	4
Apparatus	5
Stimuli	5
Procedure	6
Experimental Design and Analysis	9
RESULTS	9
DISCUSSION	14
CONCLUSIONS	16
REFERENCES	19
APPENDIX	
A. Vehicle Front and Side Views with Defining Characteristics	21
DISTRIBUTION LIST	25
FIGURES	
1. Combined Error Rates During Assisted Trials for the Treatment Group and the Equivalent Trials for the Control Group	11
2. Mean Fratricide and Suicide Rates During Assisted Trials for the Treatment Group and the Equivalent Trials for the Control Group	12
3. Mean Response Times During Assisted Trials for Treatment Group and Equivalent Trials for the Control Group	13

THE EFFECT OF BATTLEFIELD COMBAT IDENTIFICATION SYSTEM INFORMATION ON TARGET IDENTIFICATION TIME AND ERRORS IN A SIMULATED TANK ENGAGEMENT TASK

INTRODUCTION

The U.S. Army is developing a battlefield combat identification system (BCIS) as an aid to identifying friendly vehicles on the battlefield. As envisioned, the system will, "...provide a .90...probability of correct identification...of targets not identified by other means for friendly ground (mounted/dismounted) and air platforms..." (TRADOC, 1993). In one proposed system, targets are interrogated using a directional, encoded, radio frequency (RF) transmission, and properly equipped friendly platforms respond using an omnidirectional, encoded RF reply. Immediately following an interrogation (i.e., in less than 1 second), one of two possible outcomes is displayed to the user. Either an appropriate RF response is received and the target is designated "friend," or a correct response is not received, and the target is designated "unknown." An important point is that the set of targets designated as unknown can include friendly platforms equipped with a BCIS that, for whatever reason, is not so identified (with a probability of occurrence not greater than .10), friends or allies without a BCIS, friends or allies with a disabled BCIS, noncombatants, and enemies. Hence, it does not follow that an unknown designation means the target is an enemy.

Several opportunities for identification errors exist with this type of system. As noted earlier, the system is not perfectly reliable, and approximately 10% of the time, interrogations of properly equipped friendly platforms will not result in a BCIS designation of friend. Additionally, because of the nature of the interrogating platform's RF radiation pattern, it is possible for a user to receive a BCIS designation of friend when the suspect target is actually an enemy. This can occur if a properly equipped friendly platform is near the interrogator or near the enemy. When the enemy is interrogated, the adjacent friendly platform will receive the RF interrogation and will respond with the proper friendly signal. The user will most likely believe that a friendly response has been received from the suspect target, never realizing that an unseen friendly platform actually generated the response. Finally, the user must integrate the BCIS response with the visual picture and with what is known about and expected from the current situation. The identification decision therefore depends on data-driven elements (visual stimuli and BCIS response) and on cognitive-driven elements (expectations, training, awareness of recent events, etc.). Resolving inconsistencies between these sources of information can be a difficult task. Because people are adaptive, operators cope with these inconsistencies by adopting

strategies that reduce cognitive processing to manageable levels. Unfortunately, using these strategies to simplify decision making also introduces considerable bias (and thus error) in the process (Tversky & Kahneman, 1974; Slovic, Fischhoff, & Lichtenstein, 1977; Einhorn & Hogarth, 1981; Kahneman, Slovic, & Tversky, 1982).

With the addition of a BCIS, new perceptual and cognitive tasks will be added to the engagement process, and fundamental questions about how this may affect engagement time and identification accuracy are of considerable importance. For example, engagement times will be increased not just by the BCIS cycle time, but also by the time required for the user to perceive and integrate this new information. Also, the probability of a target being correctly identified will depend on how the BCIS information is interpreted by the user. At issue is the user's decision-making performance and how it may be affected by the addition of a BCIS.

The objective of this study was to determine if significant differences in either identification accuracy or identification time would occur between two equivalent groups of subjects performing identical vehicle identification tasks, except that one group had available a simulated BCIS as an aid to target identification.

METHOD

A simulated tank gunner's sight was selected as the method for presenting an identification task to the subjects. The simulator used a computer monitor to present target stimuli through a direct view monocular sight. The monitor was visually isolated from the subject except as viewed through the sight, which was centered on the intersection of the horizontal and vertical midlines of the monitor. Subjects responded to the identification task by pressing buttons on two small boxes that were designed to fit the subjects' left and right hands. The subjects sat in a 3-m by 3-m acoustically isolated chamber illuminated with a standard tungsten filament light bulb in a ceiling fixture that provided an ambient luminance of approximately 20 cd/m². An intercom provided voice communication between the subject and the experimenter, who was located in an adjoining control room.

Subjects

Thirty male military subjects between the ages of 18 and 35 participated in this study. They were selected from the soldier operator maintainer test and evaluation (SOMTE) personnel attached to the U.S. Army Combat Systems Test Activity (now known as the Aberdeen Test

Center), Aberdeen Proving Ground, Maryland. Subjects were screened for far monocular visual acuity of at least 20/20 (Snellen), corrected or uncorrected.

Apparatus

Vision screening was accomplished using a Bausch & Lomb Master orthoraterTM, model 71-21-40-65. The experiment was conducted using a Compaq DeskproTM 386/20e running Interpretive Stimulus Language and an Electrohome color video monitor, model 38-D051MA-YU. Each subject was seated so that, when looking through the sight, his eye was 3.7 meters from the monitor. The sight yielded approximately a 3.2° field of view at a luminance of approximately 50 cd/m². This was equivalent to viewing a circular area of 20 cm diameter on the monitor screen. For the subjects' viewing comfort, a rubber eye cup and forehead rest were provided. Both the sight and a pair of three button subject response boxes were of local design and construction.

Stimuli

Before a target is interrogated, some degree of uncertainty about the target's identity will exist. To investigate the effects of BCIS information on engagement performance, a set of images was required, which varied in their ability to be correctly identified. Toward this end, ten vehicle images were selected from the 50 included in the Army's graphic training aid 17-2-13 CH. 1 (Department of the Army, 1987).¹ Each vehicle's front and side views were electronically scanned into a MacintoshTM Quadra® 950 using a Microtek ScanMakerTM Model 600ZS set for gray scale scanning with a resolution of 300 dots per inch. This resulted in a stimulus set of 20 computer images (ten vehicles at two orientations). Seven apparent ranges were then created for each vehicle by manipulating the image size. The sizes were calculated so that subjects would see the images at the same visual angle as subtended by the actual vehicles when viewed through the M1A1 Abrams gunner's primary sight adjusted for narrow field of view (10x). The final result was a set of 140 images (ten vehicles at two orientations and seven apparent ranges). An assumption was made that some of these images would be more difficult to identify than others because of the orientation of the vehicle and the apparent range from the observer. These two image characteristics (orientation and range) would then serve as a means of manipulating the image's difficulty of being correctly identified. However, as the apparent range of the image increased on the computer monitor, not only did the image become smaller, but display artifacts

¹This training aid is used to teach vehicle identification to students attending advanced individual training at the U. S. Army Armor Center at Ft. Knox, Ky.

resulted in some target details with high spatial frequencies disappearing at some ranges and then reappearing at others. Because display artifacts acted as a third, uncontrolled, source of identification error, the images had to be "calibrated" in the sense that the identification error had to be measured for each image.

A pilot study was undertaken to determine the target identification error associated with each of the 140 target images. Thirty military subjects participated in the study and the results were used to select those images that exhibited differential identification errors based solely on vehicle orientation and apparent range. The resulting set of 70 target images is described in Appendix A. Targets from this set, when displayed on the monitor, subtended visual angles of from 0.3° to 2.8° and generated probabilities of correct identification between 34% and 100%. The apparent distances that were selected were necessary to obtain the desired range of probabilities for correct identification. The far distances seem extreme compared with those typically encountered with real tank sights. However, the simulated tank sight did not use any optics and thus produced no optical aberrations. Further, there was no jitter, no atmospheric effects, and the target consisted of a high contrast image against a clutter-free, uniform background.

Procedure

Upon arrival at the U.S. Army Research Laboratory (ARL), subjects were tested for acceptable visual acuity, asked to read a description of the experiment, and then asked to sign a volunteer agreement affidavit. Following this, a short questionnaire was administered concerning such things as past and present military occupational specialties held, educational background, and personal interests.

Orientation and Training

Twenty study cards, taken from the Army's graphic training aid 17-2-13 CH. 1, were modified so that the obverse of each card showed either a front or side view of one of the ten target vehicles. Each vehicle's nomenclature and identification (friend or enemy) was provided on the reverse of the card. The experimenter showed the card set to each subject and solicited questions before proceeding. Occasionally, subjects asked why a particular vehicle had been designated as a friend or an enemy. These queries were anticipated, and the rationale for each vehicle's identification was provided upon request. Subjects were then instructed to learn the identification of the vehicles so that they could correctly identify them as friend or enemy 100% of the time. Learning the vehicles' nomenclature was not required. Subjects were allowed

15 minutes or more, if needed, for the learning task. When the subjects were satisfied that they could meet this criterion, they were informally tested by being asked to sort all 20 cards into friend and enemy stacks, two consecutive times without error. If they were not successful, they were given more time to study the cards.

After successfully completing the card-learning criterion, subjects were placed in a semi-darkened test room where they were familiarized with the appearance of the same target images on the video monitor as viewed through the sight. During training, the targets were always shown at the closest apparent range. As each target was presented, its correct identification was announced by the experimenter. Subjects were allowed to view each target until they notified the experimenter that they were ready to continue. Between presentations, a fixation point (cross) appeared for 2 seconds.

Following this familiarization, the 20 targets were presented in random order, and subjects were asked to identify each as friend or enemy. They were told to respond as quickly as possible by pressing a button held in the left hand if the target was a friend or a button held in the right hand if the target was an enemy. Following a correct response, the target was immediately replaced with the fixation point and the next target appeared after a 2-second interstimulus interval. An incorrect response or no response after 8 seconds triggered an audio tone (250 Hz at 85 dB(a) for 300 msec) through a concealed speaker. In addition, the target continued to be visible for 5 seconds longer before being replaced with the fixation point. This gave the subject a chance to study targets that had been incorrectly identified.

Following their response to the last target, subjects were told the percent of targets correctly identified for that run and, if requested, were again shown each of the targets that were identified incorrectly. This procedure was repeated (presentation order randomized each time) until at least 90% of the images (nine front and nine side views) were correctly identified in two successive runs. Subjects unable to meet this criterion in six attempts were allowed to participate in the test trials, but their data were excluded from analysis.

Testing

Subjects reaching criterion during training were randomly assigned to either the treatment group or a control group. The subjects participating in the treatment group could request simulated BCIS information as an aid to target identification. The control group subjects could not receive BCIS information. Testing continued until 15 subjects had been tested in each group. Both groups were shown the set of 70 targets 6 times for a total of 420 trials per subject.

The treatment group subjects were instructed to use the BCIS whenever they were not positive about their ability to visually identify a target. Control group subjects were instructed to choose a target identification even if they were uncertain. Finally, instructions were given, addressing the critical aspect of speed-accuracy trade-off. Briefly, subjects were told that their foremost responsibility was to correctly identify the target. Making this correct identification as quickly as possible was referred to but in such a way as to be clearly interpreted as secondary to accurate performance.

During testing, the targets were shown for a maximum of 5 seconds or until a response button was pressed. The fixation point was shown for a constant interstimulus interval of 2 seconds. Unlike the learning portion, there was no tone following an incorrect identification and the image did not remain in view for an extended time. Subjects in both groups were given delayed feedback during a short rest period at the conclusion of each block of 70 target trials. Feedback consisted of verbal notification about the percent of correct identifications made during the preceding 70 trials and how many friendly targets were identified as enemies.

Subjects assigned to the treatment group were instructed about the use of a third button to initiate a simulated BCIS interrogation of the target. Approximately 750 msec after the interrogate button was pressed, a visual BCIS declaration was presented to the subjects. A "friend" designation consisted of a continuously lit, red, light-emitting diode (LED). A designation of "unknown" consisted of a continuously lit, yellow LED. Both light sources were inside the subject's sight, on opposite sides, horizontally separated by the maximum extent possible and depressed 20° from the horizontal midline of the sight tube. The distance from the subject's eye to the LEDs was approximately 8 cm. The LEDs remained lit until the subject responded with a final decision by pressing either the friend or enemy button. Following the onset of the BCIS visual signal, subjects had as long as 5 seconds to make this final response. In accordance with the operational requirements document, the probability that the simulated BCIS returned a correct identification was set to .90 per interrogation. The probability that the BCIS returned a false positive response (i.e., calling an enemy a friend) was set at .04 per interrogation. This value, although speculative in nature and very much a function of the relative densities of friendly and enemy vehicles in an actual engagement arena, was based upon a Goldsmith (1986) report about ground-to-ground fratricide.

Both groups received identical instructions about the real-world importance of their speed of response for survival and their accuracy of response for reduced fratricide and loss

from enemy fire. The treatment group subjects were informed about the performance characteristics of the BCIS.

Experimental Design and Analysis

The experiment used a between-groups repeated measures design with the availability or nonavailability of the BCIS information as the between-groups variable. The experiment was divided into 6 blocks of 70 targets each, for a total of 420 trials per subject. Fifteen random presentation orders were created, and each ordering was used twice, once for a subject in the treatment group and once for a subject in the control group.

The dependent measures of interest were response time and both types of identification errors (identifying a friend as an enemy [fratricide] and identifying an enemy as a friend [akin to "suicide" on the battlefield]). Response time was defined as the elapsed time, in seconds, from the onset of a visual stimulus (an image of a vehicle) to the subject's identification response (a button press). If a subject did not respond to a stimulus, a response time of 5 seconds was recorded, equaling the temporal duration for stimulus presentation, and the trial was excluded from analysis. Four different response time categories were established: the time for a friendly response given that the target was a friend (F|F); the time for a friendly response given an enemy target (F|E); the time for an enemy response given an enemy target (E|E); and the time for an enemy response given a friendly target (E|F). Fratricide rate was determined by the equation

$$\text{Fratricide Rate} = \frac{\text{Number of Friends Identified as Enemies}}{\text{Total Number of Targets Identified as Enemies}} \times 100$$

Suicide rate was similarly determined by

$$\text{Suicide Rate} = \frac{\text{Number of Enemies Identified as Friends}}{\text{Total Number of Targets Identified as Friends}} \times 100$$

Because the fratricide and suicide measures are ratios, a transformation is recommended for stabilizing variances (Winer, 1971). Therefore, before analysis, these ratios were transformed by the equation

$$\text{Transformed Score} = \text{Arcsine } \sqrt{\text{rate}}$$

RESULTS

Analyses of all data were first performed, regardless of interrogation behavior, regarding the effect of a BCIS on identification performance.

The identification errors were subjected to an analysis of variance (ANOVA) with groups (availability versus nonavailability of the BCIS information), as the between-subject variable, and error type (fratricide versus suicide) and blocks of trials (six repetitions) as the within-subject variables. The main effect of error type was significant, $F(1,28)=12.093$, $p<.01$, indicating that suicide, with a mean of 15.6% was committed more frequently than fratricide, with a mean of 10.8%. The main effect of blocks of trials was also significant $F(5,140)=9.859$, $p<.001$, indicating that both types of identification errors decreased with increasing exposure to the task. Mean identification errors were 15.8, 14.5, 14.4, 12.2, 10.8, and 11.9% for blocks 1 to 6, respectively. There was no significant main effect of groups or significant interaction found at the .05 level.

Response times were also analyzed in an ANOVA, with groups as the between-subject variable and response category, (F|F, E|F, F|E, E|E) and blocks of trials as the within-subject variables. The main effect of response category was significant, $F(3,84)=64.545$, $p<.001$. The means were 1.694, 2.486, 2.381, and 1.796 seconds, for the response categories of F|F, E|F, F|E, and E|E, respectively. Subsequent analysis of the four response category means indicated that correct responses (F|F and E|E), with a mean of 1.745 seconds, were faster than incorrect responses (F|E and E|F), with a mean of 2.478 seconds. There was no difference between the means of the two correct response categories or between the means of the two incorrect response categories. The main effect of blocks of trials, $F(5,140)=17.239$, $p<.001$, was significant, indicating that all response times decreased with increasing time on task. Mean response times were 2.458, 2.225, 2.048, 2.063, 1.939, and 1.936 seconds for Blocks 1 to 6, respectively. No significant main effect of groups or significant interaction was found at the .05 level.

To examine interrogation behavior, treatment group data were partitioned into trials with interrogation (assisted trials) and trials without interrogation (unassisted trials). Since each random stimulus presentation order was used twice, once for a subject in the treatment group and once for a subject in the control group, it was possible to compare group performance during identical stimuli by likewise partitioning the control group data into "assisted" and "unassisted" trials equivalent to the treatment group data. The equivalent control group trials were then

scored for errors and response times. Note. Only 14.5% of the total trials presented to the treatment group were assisted. The remaining 85.5% of the trials were unassisted.

Separate ANOVAs were run on the unassisted and assisted trials. Identification errors during unassisted trials alone, with groups as the between-subject variable, and error type and blocks of trials as the within-subject variables, produced a significant main effect of error type, $F(1,28)=10.213, p<.01$. This indicated that suicide, with a mean of 14.0% was committed more frequently than fratricide, with a mean of 10.1% across trials. The main effect of blocks of trials was also significant, $F(5,140)=8.020, p<.001$, indicating that errors made during unassisted trials decreased with increasing time on task. Mean identification errors were 14.4, 12.5, 13.5, 11.1, 9.8, and 10.9% for Blocks 1 to 6, respectively. No significant main effect of groups or significant interaction was found.

A similar analysis of the assisted trials was performed. A significant main effect of groups was found, $F(1,28)=6.206, p<.05$, indicating that the control group, with a mean identification error rate of 24.3%, committed twice as many errors as the treatment group did, with a rate of 12.0%. More importantly, a significant Blocks of Trials x Groups interaction was found, $F(5,140)=2.850, p<.05$, and is shown in Figure 1.




Figure 1. Combined error rates during assisted trials for the treatment group and the equivalent trials for the control group.

Figure 1 indicates that the control group identification means fluctuated from 18 to 30% across blocks, while the treatment group means generally decreased across blocks. Specifically, for the control group, the mean error rate in Block 1 was 18.3% and generally increased to 24.5% by Block 6, while for the treatment group, the mean error rate in Block 1 was 19.6% and decreased to 5.7% by Block 6.

The main effect for type of identification error, (fratricide versus suicide rate) also reached significance, $F(1,28)=10.881, p<.01$, indicating that suicide, with a rate of 23.9%, was committed more frequently than fratricide, with a rate of 12.5%. More interesting, however, was a significant Error Type x Groups interaction, $F(1,28)=5.304, p<.05$, which is shown in Figure 2.




Figure 2. Mean suicide and fratricide rates during assisted trials for the treatment group and the equivalent trials for the control group.

Subsequent analyses of this interaction indicated that the suicide rate of the control group was significantly greater than that of the treatment group, $F(1,28)=7.630, p<.01$, while there was no significant difference in fratricide rates. Further, there was no difference between fratricide and suicide rates for the treatment group.

Response times during assisted trials were analyzed in an ANOVA with groups as the between-subject variable and blocks of trials as the within-subject variable. The main effect for groups was significant, $F(1,22)=42.277, p<.001$, with mean response times of 4.149 and 1.933 seconds for the treatment and control groups, respectively. Note. The treatment group subjects had to respond twice when interrogating a target, once to request BCIS information and once to finalize their identification of the target. The main effect for blocks of trials was also significant, $F(5,110)=17.903, p<.001$. Mean response times were 3.937, 3.268, 2.854, 2.904, 2.655, and 2.628 seconds for Blocks 1 to 6, respectively. More importantly, there was a significant interaction between blocks of trials and groups, $F(5,110)=5.417, p<.001$. These data are shown in Figure 3.




Figure 3. Mean response times during assisted trials for the treatment group and equivalent trials for the control group.

It can be seen in Figure 3 that while the response times for the control group subjects remain the same across blocks of trials, the response times for the treatment group subjects tend to decrease.

DISCUSSION

The objective of the present experiment was to determine how availability of a BCIS might affect human performance of a target identification task.

If one considers only overall performance, paying no attention to whether targets were interrogated, the results indicate that there was no significant effect of BCIS availability on target identification accuracy or response time. Overall, we found that suicide rate was significantly higher than fratricide rate, and correct target identification responses were faster than incorrect responses. In addition, a considerable amount of learning apparently took place throughout the experimental task because errors decreased and response times became shorter with repetition of trials.

Several questions arise at this point. The first concerns why the suicide rate was significantly higher than the fratricide rate, and the second concerns why we saw no effect of BCIS availability. A third question, primarily related to performance speed, concerns not so much why correct responses appeared to be faster than incorrect ones (intuitively, an expected behavior related to decision uncertainty), but why that fact was also apparently unaffected by BCIS availability. Before considering these questions, we return to the results based upon a more detailed examination of interrogation performance.

As reported in the results, all treatment group data were divided into assisted and unassisted trials, and the same division of data was also projected onto the equivalent trials of the control group. If one considers only the performance during assisted trials and their equivalent control group trials, then the results indicate an effect of BCIS availability on both target identification accuracy and response time. The data in Figure 2, which relate to those trials, show that when the BCIS was used (treatment group), there was no difference between fratricide and suicide rates, and when no BCIS was available (control group), the difference between fratricide and suicide rates was significant. In addition, fratricide rates of each group appeared to be unaffected by BCIS availability, while there was a significantly higher suicide rate when a BCIS was not available.

It should be clear that a response of "enemy" means firing at a target, while a response of "friend" means not firing at a target. Fratricide rate can only increase when a friend is fired upon and decrease when an enemy is fired upon. In other words, responses of "enemy" exclusively affect fratricide rate because they are incidents of firing at targets. Using the same reasoning,

responses of "friend" may be said to exclusively affect suicide rate because they are incidents of not firing at targets.

If there is a conscious effort of subjects to reduce fratricide rate, as there certainly was in this experiment, then the most probable response with identification uncertainty would be a response of "friend" or not firing at the target. When there is no available BCIS, this response must increase suicide rate if the target is really an enemy. The effect of this bias is seen in Figure 2 as the high suicide rate of the control group.

When there is a BCIS, identification uncertainty will first elicit an interrogation response. The same bias of responding "friend" when there is identification uncertainty is also present but is now influenced by the BCIS response to the interrogation. A red LED, meaning "friend," largely supports the bias and reinforces a response of "friend." A yellow LED, meaning "unknown" only partially supports the bias and sometimes leads to a response of "friend" but largely encourages a response of "enemy" because of its high correlation with enemy targets. We see in Figure 2 that when the BCIS was used, fratricide and suicide rates of the treatment group were the same. The only way the suicide rate of the treatment group could have been reduced to the level shown, was for the response of "enemy" to be used more frequently. The enemy response occurred most often when the BCIS response was a yellow LED. The fact that the fratricide rate of the control group was as low as that for the treatment group is also an effect of the bias. After all, if all targets elicited a response of "friend," fratricide would be 0%.

With reference to the questions posed earlier in the discussion, we see that inflated suicide rates are a direct result of conservative risk taking in an effort to reduce fratricide incidents. The BCIS availability did affect performance, but we see the effect only when we specifically look at assisted performance.

On a more general level, BCIS availability affected response times as well as identification accuracy. The interaction of blocks and groups, for response time (shown in Figure 3) and the interaction of blocks and groups, for error rate (shown in Figure 1) may have resulted from the feedback nature of the BCIS information itself. Both groups received feedback about their target identification performance at the end of each block of trials. At that time, they were told how many targets they incorrectly identified and how many of them were incidents of fratricide. In addition, the treatment group received feedback about each assisted trial in the form of a BCIS response. The opportunity to interact with each BCIS response provided a source of interest, motivation, and feedback unavailable to the control group. This may have led to improvement in

response times and accuracy as well as to the continuation of such improvement across all blocks of trials.

When we examined only overall performance, the effect of the BCIS was not apparent. One reason for this finding was that subjects made infrequent use of the BCIS information. It was used on only 14.5% of all trials. A possible reason for the lower than expected usage of the BCIS information could be that the subjects were overly confident in their ability to correctly identify familiar targets visually. This is consistent with the results observed in a series of aided target recognition experiments in which subjects were asked to detect and classify targets in varying levels of clutter and noise (MacMillan, Entin, & Serfaty, 1994). In those experiments, even though various types of nonvisual information could be called upon to aid in the task, most subjects relied on their visual sense alone in making their decisions.

CONCLUSIONS

Initially, one question of interest was whether a BCIS would encourage a user to interpret the "unknown" (yellow LED) designation as meaning enemy and thus actually increase the chance of committing fratricide by firing upon more targets than would normally be fired upon without a BCIS. If the user believes the BCIS is highly reliable in identifying friends, would that confidence translate to "if the BCIS does not respond 'friend,' the target must be an enemy"? The answer to this question is probably yes. More targets were fired upon when the BCIS was available than when it was unavailable. However, whether that factor would actually lead to a dramatic change in fratricide rate depends not only upon the user but also upon the relative concentrations of friends and enemies on the battlefield. There would certainly be an increase in firing if all yellow LEDs were signals to fire. If there were more friends in the area than enemies, even slight increases in firing would likely increase the fratricide rate. If there were more enemies than friends in the area, it is more likely that the fratricide rate would decrease.

The usefulness of a BCIS cannot be easily disputed, as evidenced by the results related to the assisted trials. However, conditions that might contribute to such a system's disuse can be powerful. For example, in battle, is it reasonable to assume that a tank gunner would orient the main gun directly at a vehicle to interrogate it, when he already "knows" the vehicle is friendly? Not only would this action be perceived as hostile by the vehicle being acquired, but the process would take precious time away from searching for and engaging enemy targets. In other words, there is no evidence to support an argument that tank commanders and gunners, in the "heat of battle," will not sort targets based on what they see. The danger here is, of course, that this

research suggests that soldiers can be extremely confident of their identification accuracy and still be quite wrong. We found an error rate of 11.8% during unassisted trials. Further, if BCIS information is given automatically for each and every target detected on the battlefield, the errors of uninterrogated target sampling by the user would be reduced. In such a situation, however, there would be an increase in the frequency of disagreement between BCIS information and what the gunner thinks he sees. How will more frequent occurrences of disagreement eventually impact on the user's confidence in the system's accuracy or effectiveness? Will it result in the system being eventually turned off or at least ignored by the user in the heat of battle or simply relegated to use only during those conditions when visual target identification is uncertain? Thus, we return full circle to the fact that the user will ultimately make the final choice of when to use a system or when to ignore it.


Secondary sources of target information, such as objective reports about the situational aspects of a scenario or informational reports of a BCIS probably have more credibility when they do not conflict with familiar visual tasks that tend to be more reflexive than reflective in nature. Alternate sources of information are probably the first to be ignored in situations when exigencies of the moment take priority for survival. We are basically more trusting of our own senses and subjective experience than of our ability to process and integrate objective information, especially when we believe that a quick decision is needed for our survival. In other words, seeing is believing.

REFERENCES

- Einhorn, H., & Hogarth, R. (1981). Behavioral decision theory: Processes of judgment and choice. Annual Review of Psychology, 32, 53-88.
- Headquarters, Department of the Army (May 1987). Armored vehicle recognition graphic training aid (17-2-13, CH. 1). Author.
- Goldsmith, M. (1986). Applying the national training center experience - Incidence of ground-to-ground fratricide. Santa Monica, CA: RAND Corp.
- Kahneman, D., Slovic, P., & Tversky, A. (Eds.), (1982). Judgment under uncertainty: Heuristics and biases. New York: Cambridge University Press.
- MacMillan, J., Entin, E., & Serfaty, D. (1994). Operator reliance on automated support for target recognition. In Proceedings of the Human Factors and Ergonomics Society 38th Annual Meeting (pp. 1285-1289). Santa Monica, CA: Human Factors and Ergonomics Society.
- Slovic, P., Fischhoff, B., & Lichtenstein, S. (1977). Behavioral decision theory. Annual Review of Psychology, 28, 1-39.
- Tversky, A., & Kahneman, D. (1974). Judgment under uncertainty: Heuristics and Biases. Science, 185, 1124-1131.
- U.S. Army Training and Doctrine Command (TRADOC) (March 1993). Operational requirements document (ORD) for battlefield combat identification system (BCIS). Ft. Monroe, VA: Project Integration Office.
- Winer, B. J., (1971). Statistical principles in experimental design. (2nd ed., pp. 400-401). New York: McGraw-Hill.

APPENDIX A

VEHICLE FRONT AND SIDE VIEWS (NOT TO SCALE) WITH DEFINING CHARACTERISTICS




NOMENCLATURE: BMP Armored Personnel Carrier

DESIGNATION: Friend

RANGES (m): Front View 2400, 3000, 4800, 6000

Side View 3000, 4200, 6000




NOMENCLATURE: BMP M1981 Armored Personnel Carrier

DESIGNATION: Enemy

RANGES (m): Front View 2400, 4200, 5400, 6000

Side View 3000, 3600, 4200, 6000




NOMENCLATURE: Challenger Main Battle Tank


DESIGNATION: Friend

RANGES (m): Front View 3600, 4200, 4800


Side View 2400, 3000, 3600, 4200, 5400




NOMENCLATURE: M113 Armored Personnel Carrier
 DESIGNATION: Enemy
 RANGES (m): Front View 3000, 3600, 4800
 Side View 3000, 5400



NOMENCLATURE: M1 Abrams Main Battle Tank
 DESIGNATION: Friend
 RANGES (m): Front View 3600, 4200, 4800, 5400, 6000
 Side View 2400, 3600, 6000



NOMENCLATURE: M2 Infantry Fighting Vehicle
 DESIGNATION: Friend
 RANGES (m): Front View 3000, 6000
 Side View 2400, 3000, 6000




NOMENCLATURE: M60A3 Main Battle Tank

DESIGNATION: Enemy

RANGES (m): Front View 2400, 3600, 4800, 6000

Side View 2400, 3600, 6000




NOMENCLATURE: T-62 Main Battle Tank

DESIGNATION: Friend

RANGES (m): Front View 2400, 3600, 5400

Side View 2400, 4200, 5400




NOMENCLATURE: T-72 Main Battle Tank

DESIGNATION: Enemy

RANGES (m): Front View 2400, 3600, 4200, 4800

Side View 3000, 4800, 6000



NOMENCLATURE: T-54/55 Main Battle Tank

DESIGNATION: Enemy

RANGES (m): Front View 3000, 3600, 4200, 5400

Side View 2400, 3000, 3600, 4800, 6000

Table A-1

Number of Friend and Enemy Targets by Orientation

	Front view	Side view	Total
Friend	16	18	34
Enemy	18	18	36
Total	34	36	70

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	HQDA (DAPE MR) WASHINGTON DC 20310	1	COMMANDER US ARMY MATERIEL COMMAND ATTN AMCAM 5001 EISENHOWER AVENUE ALEXANDRIA VA 22333-0001
1	OUSDA(A)/DDDR&E(R&A)/E&LS PENTAGON ROOM 3D129 WASHINGTON DC 20301-3080		
1	CODE 1142PS OFFICE OF NAVAL RESEARCH 800 N QUINCY STREET ARLINGTON VA 22217-5000	1	DIRECTOR TDAD DCST ATTN ATTG C BLDG 161 FORT MONROE VA 23651-5000
1	WALTER REED ARMY INST OF RSCH ATTN SGRD UWI C (COL REDMOND) WASHINGTON DC 20307-5100	1	COMMANDER USA OP TEST & EVAL AGENCY ATTN CSTE TSM 4501 FORD AVE ALEXANDRIA VA 22302-1458
1	DR ARTHUR RUBIN NATIONAL INST OF STANDARDS & TECHNOLOGY BUILDING 226 ROOM A313 GAITHERSBURG MD 20899	1	HQ USAMRDC ATTN SGRD PLC FORT DETRICK MD 21701
1	COMMANDER US ARMY RESEARCH INSTITUTE ATTN PERI ZT (E M JOHNSON) 5001 EISENHOWER AVENUE ALEXANDRIA VA 22333-5600	1	COMMANDER USA AEROMEDICAL RSCH LAB ATTN LIBRARY FORT RUCKER AL 36362-5292
1	DEFENSE LOGISTICS STUDIES INFORMATION EXCHANGE US ARMY LOG MGMT COLLEGE FORT LEE VA 23801-6034	1	US ARMY SAFETY CENTER ATTN CSSC SE FORT RUCKER AL 36362
1	DEPUTY COM GENERAL ATTN EXS (Q) MARINE CORPS RESEARCH, DEV & ACQ COMMAND QUANTICO VA 22134	1	CHIEF ARMY RESEARCH INSTITUTE AVIATION R&D ACTIVITY ATTN PERI IR FORT RUCKER AL 36362-5354
1	HEADQUARTERS USATRADO ATTN ATCD SP FORT MONROE VA 23651	2	DIRECTOR US ARMY RESEARCH LAB ATTN AMSRL OP SD TL ADELPHI MD 20783-1145
2	COMMANDER USATRADO COMMAND SAFETY OFFICE ATTN ATOS (MR PESSAGNO MR LYNE) FORT MONROE VA 23651-5000	1	TECHNICAL INFO CENTER HQS TRADO TEST & EXP COMMAND EXPERIMENTATION CENTER BLDG 2925 FORT ORD CA 93941-7000
		1	AIR FORCE FLIGHT DYNAMICS LAB ATTN AFWAL/FIES/SURVIAC WRIGHT PATTERSON AFB OH 45433

1	AAMRL/HE WRIGHT PATTERSON AFB OH 45433-6573	1	COMMANDER USAMC LOGISTICS SUPPORT ACT ATTN AMXLS AE REDSTONE ARSENAL AL 35898-7466
1	DR CLYDE REPLOGLE (AAMRL) WRIGHT PATTERSON AFB OH 45433-6573		
1	US ARMY NATICK RSCH DEV & ENGINEERING CENTER ATTN STRNC YBA NATICK MA 01760-5020	1	ARI FIELD UNIT FORT KNOX BUILDING 2423 PERI IK FORT KNOX KY 40121-5620
1	US ARMY TROOP SUPPORT COM NATICK RESEARCH DEV AND ENGINEERING CENTER ATTN BEHAVIORAL SCIENCES DIV NATICK MA 01760-5020	1	COMMANDANT USA ARTY & MISSILE SCHOOL ATTN USAAMS TECH LIBRARY FORT SILL OK 73503
1	US ARMY TROOP SUPPORT COM NATICK RESEARCH DEV AND ENGINEERING CENTER ATTN TECH LIBRARY (STRNC MIL) NATICK MA 01760-5040	1	COMMANDER WHITE SANDS MISSILE RANGE ATTN STEWS TE RE WSMR NM 88002
1	DR RICHARD JOHNSON HEALTH & PERFORMANCE DIV US ARIEM NATICK MA 01760-5007	1	COMMANDER WHITE SANDS MISSILE RANGE ATTN TECHNICAL LIBRARY WSMR NM 88002
1	LOCKHEED SANDERS INC BOX MER-24-1583 NASHUA NH 03061-0868	1	USA TRADOC ANALYSIS COM ATTN ATRC WSR (D ANGUIANO) WSMR NM 88002-5502
1	COMMANDER US ARMY SOLDIER SUPPORT CTR ATTN ATSG DD (DR CAVINESS) FT BENJAMIN HARRISON IN 46216	1	STRICOM 12350 RESEARCH PARKWAY ORLANDO FL 32826-3276
1	MEDICAL LIBRARY BUILDING 148 NAVAL SUB MED RSCH LAB BOX 900 SUBMARINE BASE NEW LONDON GROTON CT 06340	1	COMMANDER USA TANK-AUTOMOTIVE R&D CTR ATTN AMSTA RS/D REES WARREN MI 48090
1	ATTN DR F W BAUMGARDNER USAF ARMSTRONG LAB/CFTO SUSTAINED OPERATIONS BR BROOKS AFB TX 78235-5000	1	COMMANDER USA TANK-AUTOMOTIVE R&D CTR ATTN AMSTA TSL (TECH LIB) WARREN MI 48397-5000
1	AFHRL/PRTS BROOKS AFB TX 78235-5601	1	COMMANDER USA COLD REGIONS TEST CTR ATTN STECR TS A APO AP 96508-7850
1	DR JON FALLESEN ARI FIELD UNIT PO BOX 3407 FORT LEAVENWORTH KS 66027-0347	1	MR. JOHN HUNT GE BLDG 148-301 ROUTE 38 MOORESTOWN NJ 08057

1	ADMINISTRATOR DEFENSE TECH INFO CENTER ATTN DTIC DDA CAMERON STATION ALEXANDRIA VA 22304-6145	1	DR ROBERT KENNEDY ESSEX CORPORATION SUITE 227 1040 WOODCOCK ROAD ORLANDO FL 32803
1	US ARMY RSCH DEV STDZN GP-UK ATTN DR MIKE STOUT PSC 802 BOX 15 FPO AE 09499-1500	1	DR NANCY ANDERSON DEPARTMENT OF PSYCHOLOGY UNIVERSITY OF MARYLAND COLLEGE PARK MD 20742
1	INSTITUTE FOR DEFENSE ANALYSES ATTN DR JESSE ORLANSKY 1801 N BEAUREGARD STREET ALEXANDRIA VA 22311	1	MR LARRY W AVERY BATTELLE PACIFIC NW LABS PO BOX 999 MAIL STOP K6-66 RICHLAND WA 99352
1	MR RICHARD SHANNON KETRON INC WARMINSTER ATRIUM SUITE 203 600 LOUIS DRIVE WARMINSTER PA 18974	1	LIBRARY ESSEX CORPORATION SUITE 510 1430 SPRING HILL ROAD MCLEAN VA 22102-3000
1	PURDUE UNIVERSITY SERIALS UNIT CDM KARDEX 1535 STEWART CENTER WEST LAFAYETTE IN 47907-1535	1	DR BEN B MORGAN DEPARTMENT OF PSYCHOLOGY UNIV OF CENTRAL FLORIDA PO BOX 25000 ORLANDO FL 32816
1	GOVERNMENT PUBLICATIONS LIB 409 WILSON M UNIVERSITY OF MINNESOTA MINNEAPOLIS MN 55455	1	AFHRL/CA BROOKS AFB TX 78235
1	DR RICHARD W PEW BBN SYSTEMS AND TECH CORP 10 MOULTON STREET CAMBRIDGE MA 02138	1	LAWRENCE C PERLMUTER PHD UNIV OF HEALTH SCIENCES THE CHICAGO MEDICAL SCHOOL DEPT OF PSYCHOLOGY 3333 GREEN BAY ROAD NORTH CHICAGO IL 60064
1	DR HARVEY A TAUB RESEARCH SECTION PSYCH SEC VETERANS ADMIN HOSPITAL IRVING AVENUE & UNIV PL SYRACUSE NY 13210	1	DR ARTHUR S KAMLET BELL LABORATORIES 6200 EAST BROAD STREET COLUMBUS OH 43213
1	DR ANTHONY DEBONS IDIS UNIV OF PITTSBURGH PITTSBURGH PA 15260	1	MR AJ ARNOLD STAFF PROJ ENG HUMAN FACTORS DEPARTMENT GENERAL MOTORS SYSTEMS ENG 1151 CROOKS ROAD TROY MI 48084
1	MR R BEGGS BOEING-HELICOPTER CO P30-18 PO BOX 16858 PHILADELPHIA PA 19142	1	GENERAL DYNAMICS LAND SYSTEMS DIV LIBRARY PO BOX 1901 WARREN MI 48090
		1	DR LLOYD A AVANT DEPARTMENT OF PSYCHOLOGY IOWA STATE UNIVERSITY AMES IA 50010

1	DR PAUL R MCCRIGHT INDUSTRIAL ENGINEERING DEPT KANSAS STATE UNIVERSITY MANHATTA KS 66502	1	DR DANIEL J POND BATTELLE PNL/K6-66 PO BOX 999 RICHLAND WA 99350
1	DR MM AYOUB DIRECTOR INST FOR ERGONOMICS RSCH TEXAS TECH UNIVERSITY LUBBOCK TX 79409	1	HQDA (DAPE-ZXO) ATTN DR FISCHL WASHINGTON DC 20310-0300
1	MR KENNETH C CROMBIE TECHNICAL LIBRARIAN E104 DELCO SYSTEMS OPERATIONS 6767 HOLLISTER AVENUE GOLETA CA 93117	1	HUMAN FACTORS ENG PROGRAM DEPT OF BIOMEDICAL ENG COLLEGE OF ENGI & COMPUTER SCIENCE WRIGHT STATE UNIVERSITY DAYTON OH 45435
1	DR S SEIDENSTEIN ORG 69-94 B572 LMSC PO BOX 504 SUNNYVALE CA 94088	1	COMMANDER USA MEDICAL R&D COMMAND ATTN SGRD PLC (LTC JJ JAEGAR) FORT DETRICK MD 21701-5012
1	MR WALT TRUSZKOWSKI CODE 522.3 NASA/GODDARD SPACE FLIGHT CTR GREENBELT MD 20771	1	PEO STANDARD ARMY MGMT INFORMATION SYSTEM ATTN AS PES STOP C-3 FT BELVOIR VA 22060-5456
1	DIRECTOR US ARMY AEROFLIGHT DYNAMICS DIR (MS 215-1) ATTN SAVRT AF D (AW KERR) AMES RESEARCH CENTER MOFFETT FIELD CA 94035-1099	1	PEO ARMORED SYSTEMS MODERNIZATION US ARMY TANK-AUTOMOTIVE COM ATTN SFAE ASM S WARREN MI 48397-5000
1	DEPT OF THE AIR FORCE HQ USAFA/DFSELD 2354 FAIRCHILD DRIVE SUITE 3A22 USAF ACADEMY CO 80840-6214	1	PEO COMBAT SUPPORT ATTN AMCPEO CS US ARMY TANK-AUTOMOTIVE COM WARREN MI 48397-5000
1	DR TOM MALONE CARLOW ASSOCIATES INC SUITE 750 3141 FAIRVIEW PARK DRIVE FAIRFAX VA 22042	1	PEO MGMT INFO SYSTEMS ATTN AS PEM STOP C-2 BUILDING 1465 FT BELVOIR VA 22060-5456
1	DR NORMAN BADLER DEPARTMENT OF COMPUTER AND INFORMATION SCIENCE UNIVERSITY OF PENNSYLVANIA PHILADELPHIA PA 19104-6389	1	PEO ARMAMENTS ATTN AMCPEO AR BUILDING 171 PICATINNY ARSENAL NJ 07806-5000
1	CDR US ARMY RES INSTITUTE OF ENVIRONMENTAL MED ATTN COL GERALD P KRUEGER NATICK MA 01760-5007	1	PEO INTELLIGENCE & ELECTRONIC WARFARE ATTN AMCPEO IEW VINT HILL FARMS STA BLDG 197 WARRENTON VA 22186-5115
		1	PEO COMMUNICATIONS ATTN SFAE CM RE FT MONMOUTH NJ 07703-5000

1 PEO AIR DEFENSE
ATTN SFAE AD S
US ARMY MISSILE COMMAND
REDSTONE ARSENAL AL
35898-5750

1 PEO STRATEGIC DEFENSE
PO BOX 15280 ATTN DASD ZA
US ARMY STRATEGIC DEF COM
ARLINGTON VA 22215-0280

1 PROGRAM MANAGER LHX
4300 GOODFELLOW BLVD
ST LOUIS MO 63120-1798

1 DENNIS L SCHMICKLY
CREW SYSTEMS ENGINEERING
MCDONNELL DOUGLAS HELICPTR
5000 EAST MCDOWELL ROAD
MESA AZ 85205-9797

1 JON TATRO
HUMAN FACTORS SYS DESIGN
BELL HELICOPTER TEXTRON INC
PO BOX 482 MAIL STOP 6
FT WORTH TX 76101

1 CHIEF CREW SYS INTEGRATION
SIKORSKY AIRCRAFT M/S S3258
NORTH MAIN STREET
STRATFORD CT 06602

1 GENERAL ELECTRIC COMPANY
ARMAMENT SYSTEMS DEPT
ROOM 1309 ATTN RC MCLANE
HF/MANPRINT
LAKESIDE AVENUE
BURLINGTON VT 05401-4985

1 DAVID ALDEN
HUGHES SIMULATION SYS INC
5301 E RIVER RD
MINNEAPOLIS MN 55421-1024

1 OASD (FM&P)
WASHINGTON DC 20301-4000

1 COMMANDER
US ARMY MATERIEL COMMAND
ATTN AMCDE AQ
5001 EISENHOWER AVENUE
ALEXANDRIA VA 22333

1 COMMANDER
US ARMY PERS INTEG COM
ATTN ATNC NMF
(MR BRANDENBURG)
200 STOVALL STREET
ALEXANDRIA VA 22332-1345

1 COMMANDANT
US ARMY ARMOR SCHOOL
ATTN ATSB CDS
(MR LIPSCOMB)
FT KNOX KY 40121-5215

1 COMMANDER
US ARMY AVIATION CENTER
ATTN ATZQ CDM S
(MR MCCracken)
FT RUCKER AL 36362-5163

1 COMMANDER
US ARMY SIGNAL CTR &
FT GORDON
ATTN ATZH CDM
FT GORDON GA 30905-5090

1 DIRECTOR
US ARMY AEROFLIGHT
DYNAMICS DIRECTORATE
MAIL STOP 239-9
NASA AMES RESEARCH CENTER
MOFFETT FIELD CA 94035-1000

1 PM SIGNALS WARFARE
ATTN SFAE IEW SG (ALAN LINDLEY)
BLDG P-181
VINT HILL FARMS STATION
WARRENTON VA 22186-5116

1 COMMANDER
MARINE CORPS SYS COMMAND
ATTN CBGT
QUANTICO VA 22134-5080

1 DIRECTOR AMC-FIELD ASSIST
IN SCIENCE & TECHNOLOGY
ATTN AMC-FAST (R FRANSEEN)
FT BELVOIR VA 22060-5606

1 COMMANDER
US ARMY FORCES COMMAND
ATTN FCDJ SA BLDG 600
AMC FAST SCIENCE ADVISER
FT MCPHERSON GA 30330-6000

1	COMMANDER I CORPS AND FORT LEWIS AMC FAST SCIENCE ADVISER ATTN AFZH CSS FORT LEWIS WA 98433-5000	1	HQ 7TH ARMY TRAINING COM UNIT #28130 AMC FAST SCIENCE ADVISER ATTN AETT SA APO AE 09114
1	HQ III CORPS & FORT HOOD OFFICE OF THE SCIENCE ADV ATTN AFZF CS SA FORT HOOD TX 76544-5056	1	COMMANDER HHC SOUTHERN EUROPEAN TASK FORCE ATTN AESE SA BUILDING 98 AMC FAST SCIENCE ADVISER APO AE 09630
1	COMMANDER U.S. ARMY NATL TRAINING CTR AMC FAST SCIENCE ADVISER ATTN AMXLA SA FORT IRWIN CA 92310	1	COMMANDER US ARMY PACIFIC AMC FAST SCIENCE ADVISER ATTN APSA FT SHAFTER HI 96858-5L00
1	COMMANDER HQ XVIII ABN CORPS & FT BRAGG OFFICE OF THE SCI ADV BLDG 1-1621 ATTN AFZA GD FAST FORT BRAGG NC 28307-5000	1	COMMANDER US ARMY JAPAN/IX CORPS UNIT 45005 ATTN APAJ SA AMC FAST SCIENCE ADVISERS APO AP 96343-0054
1	SOUTHCOM WASHINGTON F OFC 1919 SOUTH EADS ST SUITE L09 AMC FAST SCIENCE ADVISER ARLINGTON VA 22202	1	AMC FAST SCIENCE ADVISERS PCS #303 BOX 45 CS-SO APO AP 96204-0045
1	HQ US SPEC OPERATIONS COM AMC FAST SCIENCE ADVISER ATTN SOSD MACDILL AIR FORCE BASE TAMPA FL 33608-0442	1	COM ALASKAN COMMAND ATTN SCIENCE ADV (MR GRILLS) 6-900 9TH ST STE 110 ELMENDORF AFB ALASKA 99506
1	HQ US ARMY EUROPE & 7TH ARMY ATTN AEAGX SA OFC OF THE SCIENCE ADVISER APO AE 09014	1	MR GARY PERLMAN COMPUTER & INFO SCIENCE OHIO STATE UNIV RM 228 BOLZ HALL 2036 NEIL AVENUE COLUMBUS OH 43210-1277
1	COMMANDER HQ 21ST THEATER ARMY AREA COM AMC FAST SCIENCE ADVISER ATTN AERSA APO AE 09263	1	DIR US ARMY RESEARCH LAB ATTN AMSRL OP SD TP (TECH PUB OFC) ADELPHI MD 20783-1145 (L Ref Set W/Dist List + ARL Form 1)
1	COMMANDER HEADQUARTERS USEUCOM AMC FAST SCIENCE ADVISER UNIT 30400 BOX 138 APO AE 09128	1	DIR US ARMY RESEARCH LAB ATTN AMSRL OP SD TA (REC MGMT) ADELPHI MD 20783-1145 (record set)
1	HQ V CORPS COMMAND GROUP UNIT #25202 AMC FAST SCIENCE ADVISER ATTN AETV SA APO AE 09079-0700	1	DR SEHCHANG HAH DEPT OF BEHAVIORAL SCIENCES & LEADERSHIP BUILDING 601 ROOM 281 US MILITARY ACADEMY WEST POINT NEW YORK 10996-1784

1	US ARMY RESEARCH INSTITUTE ATTN PERI IK (D L FINLEY) 2423 MORANDE STREET FORT KNOX KY 40121-5620	1	USARL HRED FIELD ELMT USAADASCH ATTN ATSA CD ATTN AMSRL HR ME (K REYNOLDS) 5800 CARTER ROAD FORT BLISS TX 79916-3802
1	C ARL HRED ARDEC FIELD ELMT ATTN AMSRL HR MG (R SPINE) BUILDING 333 PICATINNY ARSENAL NJ 07806-5000	1	C ARL HRED ARMC FIELD ELMT ATTN AMSRL HR MH (M BENEDICT) BUILDING 1109D (BASEMENT) FT KNOX KY 40121-5215
1	C ARL HRED ATCOM FIELD ELMNT ATTN AMSRL HR MI (A MANCE) 4300 GOODFELLOW BLVD BLDG 105 1ST FLOOR POST A-7 ST LOUIS MO 63120-1798	1	C ARL HRED USAFAS FIELD ELMT ATTN AMSRL HR MF (L PIERCE) BLDG 3040 ROOM 220 FORT SILL OK 73503-5600
1	C ARL HRED FIELD ELEMENT AT FORT BELVOIR STOP 5850 ATTN AMSRL HR MK (P SCHOOL) 10109 GRIDLEY RD SUITE A102 FORT BELVOIR VA 22060-5850	1	C ARL HRED USAIC FIELD ELMT ATTN AMSRL HR MW (E REDDEN) BUILDING 4 ROOM 349 FT BENNING GA 31905-5400
1	C ARL HRED CECOM FIELD ELMT ATTN AMSRL HR ML (J MARTIN) MYERS CENTER ROOM 3C214 FT MONMOUTH NJ 07703-5630	1	C ARL HRED SC&FG FIELD ELMT ATTN AMSRL HR MS (L BUCKALEW) SIGNAL TOWERS ROOM 207 FORT GORDON GA 30905-5233
1	C ARL HRED MICOM FIELD ELMT ATTN AMSRL HR MO (T COOK) BUILDING 5400 ROOM C242 REDSTONE ARSENAL AL 35898-7290	1	ARL HRED USASOC FIELD ELMT ATTN AMSRL HR MN (F MALKIN) BUILDING D3206 ROOM 503 FORT BRAGG NC 28307-5000
1	C ARL HRED TACOM FIELD ELMT ATTN AMSRL HR MU (M SINGAPORE) BUILDING 200A 2ND FLOOR WARREN MI 48397-5000	1	ARL HRED OPTEC FIELD ELMT ATTN AMSRL HR MR (S BOLIN) PARK CENTER IV RM 1450 4501 FORD AVENUE ALEXANDRIA VA 22302-1458
1	C ARL HRED AVNC FIELD ELMT ATTN AMSRL HR MJ (R ARMSTRONG) PO BOX 620716 BUILDING 514 FT RUCKER AL 36362-0716	1	ARL HRED VHFS FIELD ELMT ATTN AMSRL HR MX (T CLARK) BLDG 181 STOP 5 VINT HILL FARMS STA WARRENTON VA 22186-5116
1	C ARL HRED STRICOM FIELD ELMT ATTN AMSRL HR MT (A GALBAVY) 12350 RESEARCH PARKWAY ORLANDO FL 32826-3276	1	C ARL HRED FT HUACHUCA FIELD ELEMENT ATTN AMSRL HR MY (J HOPSON) BUILDING 84017 FORT HUACHUCA AZ 85613-7000
1	C ARL HRED FT HOOD FIELD ELMT ATTN AMSRL HR MA (E SMOOTZ) HQ TEXCOM BLDG 91012 RM 134 FT HOOD TX 76544-5065		<u>ABERDEEN PROVING GROUND</u>
		1	C ARL HRED ERDEC FIELD ELMT ATTN AMSRL HR MM (D HARRAH) BLDG 459 APG-AA

1 ARL SLAD
 ATTN AMSRL BS (DR JT KLOPCIC)
 BLDG 328 APG-AA

5 DIRECTOR
 US ARMY RESEARCH LAB
 ATTN AMSRL OP CI B (TECH LIB)
 BLDG 305 APG-AA

1 USATECOM
 RYAN BUILDING
 APG-AA

1 USMC LIAISON OFFICE
 ATTN AMST ML
 RYAN BUILDING APG-AA

1 LIBRARY
 ARL BUILDING 459
 APG-AA